Page 2 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

## Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the aboveidentified application:

(Currently Amended) A method for use in monitoring a search area, the method comprising:

providing frames of image data representative of a search area, the image data comprising pixel value data for a plurality of pixels;

providing a plurality of time varying <u>Gaussian normal</u> distributions for each pixel <u>generated</u> based on the pixel value data <u>over a plurality of frames of the image data;</u>

providing at least one frame of update image data representative of the search area in an update cycle, the <u>at least one</u> frame of <u>update</u> image data comprising update pixel value data for each of the plurality of pixels; and

attempting to match the update pixel value data for each pixel to each of all of the plurality of time varying distributions provided for the pixel, wherein attempting to match the update pixel value data for each pixel to each of all of the plurality of time varying distributions provided for the pixel comprises:

and a predetermined variance, the narrow distribution being narrow relative to the plurality of time varying distributions.

computing a divergence measure between the narrow distribution created for the pixel and each of the plurality of time varying distributions provided for the pixel resulting in a plurality of divergence measures corresponding to the plurality of time varying distributions for the pixel.

determining a minimum divergence measure of the plurality of divergence measures, and

comparing the minimum divergence measure to a predetermined cutoff to determine if a match exists or does not exist;

١

Page 3 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

updating the plurality of time varying distributions for each pixel based on whether the update pixel value data matches one of the plurality of time varying distributions provided for the pixel; and

ordering the updated plurality of time varying distributions for each pixel based on a probability of the time varying distributions thereof being representative of background or foreground information in the search area for use in determining whether the pixel is to be considered background or foreground information.

- 2. (Cancelled)
- 3. (Cancelled)
- 4. (Currently Amended) The method of claim 2 1, wherein updating the plurality of time varying distributions for each pixel comprises generating a pooled distribution based on the narrow distribution and a matched distribution if the narrow distribution matches one of the plurality of time varying distributions, and further wherein ordering the updated plurality of time varying distributions comprises determining if the pixel is representative of background or foreground information in the search area based on a position of the pooled distribution within the order of the updated plurality of time varying distributions.
- 5. (Currently Amended) The method of claim 21, wherein updating the plurality of time varying distributions for each pixel comprises replacing one of the plurality of time varying distributions with a new distribution if the narrow distribution does not match one of the plurality of time varying distributions, and further wherein ordering the updated plurality of time varying distributions comprises assuring that the new distribution is representative of foreground information in the search area.

Page 4 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

- 6. (Original) The method of claim 1, wherein ordering the updated plurality of time varying distributions for each pixel is based on weights associated with the plurality of time varying distributions.
- 7. (Original) The method of claim 1, wherein at least a portion of the foreground information corresponds to one or more moving objects, and further wherein the method comprises tracking the one or more moving objects in the search area to determine object paths for the one or more moving objects.
- 8. (Original) The method of claim 7, wherein tracking the one or more moving objects in the search area comprises:

calculating blobs based on pixels representative of foreground information; and filtering out blobs having less than a predetermined pixel area size.

- 9. (Original) The method of claim 8, wherein the method further comprises grouping the blobs into object paths representative of one or more moving objects.
- 10. (Original) The method of claim 9, wherein grouping the blobs into object paths comprises grouping the blobs into object paths using a multiple hypotheses tracking algorithm.
- 11. (Original) The method of claim 7, wherein the method further comprises:

  providing one or more defined normal and/or abnormal object path feature models based on one or more characteristics associated with normal or abnormal events; and

comparing the one or more object paths to the one or more defined normal and/or abnormal object path feature models to determine whether the one or more object paths are normal or abnormal.

Page 5 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

12. (Original) The method of claim 11, wherein providing one or more defined normal and/or abnormal object path feature models comprises providing one or more defined threatening and/or non-threatening object path feature models based on one or more characteristics associated with threatening events; and

wherein comparing the one or more object paths to the one or more defined normal and/or abnormal object path feature models comprises comparing at least the one or more object path, or data associated therewith, to the one or more defined threatening and/or non-threatening object path feature models to determine whether the one or more object paths appear to indicate that a threatening event is occurring.

- 13. (Original) The method of claim 1, wherein the method further comprises positioning a plurality of imaging devices to cover an entire defined search area, wherein each field of view of each imaging device comprises a field of view portion which overlaps with at least one other field of view of another imaging device, wherein the field of view portion which overlaps is greater than about 25 percent device and less than about 85 percent of the field of view of the imaging device.
- 14. (Currently Amended) A system for use in monitoring a search area, the system comprising:

one or more imaging devices operable to provide frames of image data representative of the search area, the image data comprising pixel value data for a plurality of pixels, wherein the frames of image data comprise at least one frame of update image data representative of the search area in an update cycle, the <u>at least one</u> frame of update image data comprising update pixel value data for each of the plurality of pixels; and

a computer apparatus operable to:

generate a plurality of time varying Gaussian normal distributions for each pixel based on pixel value data provided over a plurality of frames of the image data;

attempt to match the update pixel value data for each pixel to each of all of the plurality

Page 6 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

of time varying Gaussian normal distributions provided for the pixel by:

creating a narrow distribution for the pixel based on the update pixel value data and a predetermined variance, the narrow distribution being narrow relative to the plurality of time varying distributions,

computing a divergence measure between the narrow distribution created for the pixel and each of the plurality of time varying distributions provided for the pixel resulting in a plurality of divergence measures corresponding to the plurality of time varying distributions for the pixel.

determining a minimum divergence measure of the plurality of divergence measures, and

comparing the minimum divergence measure to a predetermined cutoff to determine if a match exists or does not exist;

update the plurality of time varying distributions for each pixel based on whether the update pixel value data matches one of the plurality of time varying distributions provided for the pixel; and

order the updated plurality of time varying distributions for each pixel based on a probability of the time varying distributions thereof being representative of background or foreground information in the search area for use in determining whether the pixel is to be considered background or foreground information.

- 15. (Cancelled)
- 16. (Cancelled)
- 17. (Currently Amended) The system of claim 15 14, wherein the computer apparatus is further operable, with respect to each pixel, to:

update the plurality of time varying distributions by generating a pooled distribution

Page 7 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

based on the narrow distribution and a matched distribution if the narrow distribution matches one of the plurality of time varying distributions; and

determine if the pixel is representative of background or foreground information in the search area based on position of the pooled distribution within the order of the updated plurality of time varying distributions.

18. (Currently Amended) The system of claim 15 14, wherein the computer apparatus is further operable, with respect to each pixel, to:

update the plurality of time varying distributions by replacing one of the plurality of time varying distributions with a new distribution if the narrow distribution does not match one of the plurality of time varying distributions; and

assure that the new distribution is representative of foreground information in the search area.

- 19. (Original) The system of claim 14, wherein the computer apparatus is further operable to order the updated plurality of time varying distributions for each pixel based on weights associated with the plurality of time varying distributions.
- 20. (Original) The system of claim 14, wherein at least a portion of the foreground information corresponds to one or more moving objects, and further wherein the computer apparatus is operable to track the one or more moving objects in the search area to determine object paths for the one or more moving objects.
- 21. (Original) The system of claim 20, wherein the computer apparatus is further operable to: calculate blobs based on pixels representative of foreground information; and filter out blobs having less than a predetermined pixel area size.

Page 8 of 12

Serial No.: 10/034,780 Confirmation No.: 1212 Filed: December 27, 2001

For: METHOD FOR MONITORING A MOVING OBJECT AND SYSTEM REGARDING SAME

- 22. (Original) The system of claim 21, wherein the computer apparatus is further operable to group the blobs into object paths representative of one or more moving objects.
- 23. (Original) The system of claim 22, wherein the computer apparatus is further operable to group the blobs into object paths using a multiple hypotheses tracking algorithm.
- 24. (Original) The system of claim 20, wherein the computer apparatus is further operable to: provide one or more defined normal and/or abnormal object path feature models based on one or more characteristics associated with normal or abnormal events; and

compare the one or more object paths to the one or more defined normal and/or abnormal object path feature models to determine whether the one or more object paths are normal or abnormal.

- 25. (Original) The system of claim 20, wherein the computer apparatus is further operable to: provide one or more defined threatening and/or non-threatening object path feature models based on one or more characteristics associated with threatening events; and compare at least the one or more object path, or data associated therewith, to the one or more defined threatening and/or non-threatening object path feature models to determine whether the one or more object paths appear to indicate that a threatening event is occurring.
- 26. (Original) The system of claim 14, wherein the one or more imaging devices comprise a plurality of imaging devices positioned to cover an entire defined search area, wherein each field of view of each imaging device comprises a field of view portion which overlaps with at least one other field of view of another imaging device, wherein the field of view portion which overlaps is greater than about 25 percent and less than about 85 percent of the field of view of the imaging device.